



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/554,183	10/21/2005	Marcello Ceccarini	242/9-2162	7816
28147	7590	11/14/2007	EXAMINER	
WILLIAM J. SAPONE			RUNNING, RACHEL A	
COLEMAN SUDOL SAPONE P.C.			ART UNIT	PAPER NUMBER
714 COLORADO AVENUE				3732
BRIDGE PORT, CT 06605				
			MAIL DATE	DELIVERY MODE
			11/14/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)
	10/554,183	CECCARINI, MARCELLO
	Examiner	Art Unit
	Rachel A. Running	3732

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 21 October 2005.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-20 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 1-20 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on 21 October 2005 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some * c) None of:

1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SB/08)
 Paper No(s)/Mail Date 10/21/2005.

4) Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____.

5) Notice of Informal Patent Application

6) Other: _____.

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the inner fan means and drawer must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

2. Claim 5 is objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim should refer to other claims in the alternative only. See MPEP § 608.01(n). Accordingly, the claim has not been further treated on the merits.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claim 7 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Claim 7, states "a light emission of suitable spectrum" it is unclear what the "suitable spectrum" is that applicant is referring too.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 3732

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1-4, 6, 7, and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Loof (DE 200 14 372).

Loof discloses a beauty treatment device comprising a first support for at least one limb portion to fit. An aspirator means to suck air with vapors and a set of lamps (see Figure 1). In the operating condition a base means mates at an almost plain and horizontal surface and the aspirator means is below the first support (see Figure 4). The first support has a convex shape and the aspirator means includes a motorized fan associated to a filtering means. The set of lamps is housed in a cavity and the lamps give off a light emission. At the upper external edge of the cavity an eyelid portion is used for protecting the lamps (see Figure 1).

7. Claims 1, 2, 4, 6, 17, and 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Blackshear (US 5,787,903).

Blackshear discloses a beauty treatment device comprising a first support for at least one limb portion to fit (see Figure 4). An aspirator means (40) to suck air with vapors and a set of lamps (38) (see Figure 1; column 2, lines 60-65). In the operating condition a base means mates at an almost plain and horizontal surface and the aspirator means is below the first support (see Figure 1). The aspirator means includes a motorized fan associated to a filtering means (column 2, lines 60-65). The set of lamps is housed in a cavity and the lamps give off a light emission (see Figure 1). The

device includes an inner fan means (20) whose outlet flows into the cavity (see Figure 1).

8. Claims 1, 2, 6, 13, 18, and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Rentz (US 5,464,029).

Rentz discloses a beauty treatment device comprising a first support for at least one limb portion to fit (see Figure 1). An aspirator means (39) to suck air with vapors s and a set of lamps (25) (see Figure 1; column 4, lines 65-70). In the operating condition a base means mates at an almost plain and horizontal surface and the aspirator means is below the first support (see Figure 1). The set of lamps is housed in a cavity and the lamps give off a light emission (see Figure 1). The device includes a handle (see Figure 1). The device includes an inner fan means (39) whose outlet flows into the cavity and a drawer (43) (see Figure 1).

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

10. Claims 8-12, 14, 15, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rentz in view of Park (US 6,035,858).

Rentz discloses the claimed invention except for an ultrasonic means a container associated with the ultrasonic means and a timer having a switchboard with one on/off button, one power supply jack, and a transformer.

Park teaches a device comprising an ultrasonic means (21) (see Figure 3; column 3, lines 30-35). A removable container (28) is associated with the ultrasonic means (column 3, lines 20-25). A timer controls the ultrasonic means that includes a switchboard with one on/off button, a supply transformer, and a power supply jack (see Figure 1; column 5, lines 25-55). The timer also controls the lighting of the lamps (column 3, lines 55-65). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the device of Rentz with an ultrasonic means with a timer and a switchboard as taught by Park in order to use an ultrasonic wave to remove artificial nails from the user.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rachel A. Running whose telephone number is (571) 272-1917. The examiner can normally be reached on Monday-Friday 7:00 am - 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on (571) 272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Rachel A. Running
Examiner
Art Unit 3732



ROBYN DOAN
PRIMARY EXAMINER



ROBYN DOAN
PRIMARY EXAMINER